


REVISION HISTORY								
REV.	DESCRIPTION	DATE	REVISED BY:					

MPG-084-XXX SINGLE STAGE HOLLOW OUTPUT PLANETARY GEARBOX 0.750" BORE (XXX = GEARBOX RATIO)







NOIES

- 1.) MOTOR <u>Manufacturer and model number</u> required to properly size the motor adaptor plate. Maximum motor input shaft diameter is 19mm.
- 2.) ADAPTOR PLATE SIZE WILL VARY BASED ON MOTOR SPECIFIED. OVERALL DIMENSIONS AND PLATE THICKNESS WILL BE DIFFERENT FROM VISUAL REPRESENTATION ABOVE
- 3.) MOTOR FLANGE BOLT CIRCLE PATTERN AND HOLE DIAMETER ALONG WITH MOTOR SHAFT DIAMETER AND LENGTH WILL DETERMINE THE FINAL SIZE OF THE ADAPTOR PLATE
- 4.) MACRON DYNAMICS, INC. MAKES EVERY EFFORT TO MATCH MOTOR DIMENSIONS TO MOTOR MANUFACTURER'S SPECIFICATIONS. THESE MANUFACTURER'S SPECIFICATIONS CAN CHANGE FROM TIME TO TIME WITHOUT NOTICE. MACRON IS NOT RESPONSIBLE FOR ADAPTORS THAT DO NOT MATE WITH THE MOTORS IF REFERENCE DIMENSIONS HAVE CHANGED OR IF THE USER CHANGES MOTOR MODELS AFTER PURCHASE

GEARBOX RATIO	3:1	10:1	5:1	7:1
MPG PART NUMBER SUFFIX	003	010	005	007
NOMINAL OUTPUT TORQUE — Nm (lb—in)	40 (354)	40 (354)	50 (443)	50 (443)
MAXIMUM ACCELERATION TORQUE - Nm (lb-in)	60 (531)	60 (531)	75 (664)	75 (664)
NOMINAL INPUT SPEED — RPM	3000	3000	3000	3000
MAXIMUM INPUT SPEED - RPM	6000	6000	6000	6000
STANDARD OUTPUT BACKLASH — arcmin	<10	<10	<10	<10
WEIGHT — kg (lb)	2.3 (5.1)	2.3 (5.1)	2.3 (5.1)	2.3 (5.1)
MASS MOMENT OF INERTIA - kg/cm2 (lb-in2)	1.37 (0.468)	.93 (0.318)	1.05 (0.359)	.97 (0.331)
EFFICIENCY AT LOAD	92%	92%	92%	92%
NO LOAD TORQUE - Nm (lb-in)	0.5 (4.4)	0.5 (4.4)	0.5 (4.4)	0.5 (4.4)



DRAWN BY: TH	ATE: 9/18/2018	MATERIAL:		TITLE:	05100	
CHECKED BY: DA	ATE: DD/MM/YYYY			MACRON	GEARBI 5 PULL	
LAST SAVED BY: TH DA	TE: 9/24/2018			10 40/2	.5 PULL	_E I
UNLESS OTHERWISE SPECIFIE DIMENSIONS ARE IN MILLIMETEI TOLERANCES UNLESS NOTEI OTHERWISE:	RS AA ± .234	FINISH:				
SURFACE FINIS	H 63/			SCALE 1:1	SHEET SIZE	
	ARP EDGES PLY AFTER FINISHING	1 OF 1	PART NUMBER	G-084-XX		00
THIRD ANGLE	PROJECTION	' ' '	"""	0 00 1 AA	``	UU